

AMMORT 2.0

dalla tradizione nasce l'innovazione

CATALOGO



ABRASIVI METALLICI
E FIBRA DIAMANTE
PER LEVIGATORI E MARMISTI

*METAL BOND & SPONGE FIBRE
PADS FOR FLOOR LAYERS
AND STONE WORKERS*

AMMORT 2.0

dalla tradizione nasce l'innovazione

La Ditta Ammort nasce nel 2010 inizialmente come metodo esclusivamente per levigatura e lucidatura pavimenti derivante da una quarantennale esperienza in questo campo dello stesso fondatore Ferdinando Bianconi. Nasce con l'obiettivo di semplificare le procedure di lavorazione e superare le difficoltà della levigatura tradizionale dei pavimenti, aumentando al contempo in modo significativo la qualità e la quantità di lavoro svolto.

È solo nel 2015 che si trasforma nell'attuale Ammort 2.0. In quell'anno la Ditta viene rilevata dagli attuali proprietari Marco e Alessandro (allora rispettivamente 29enne e 32enne) che, visto la crescente domanda di specializzazione e miglioramento della gamma dovuta alle esigenze di mercato e forti degli ottimi risultati ottenuti fino ad allora, hanno perfezionato l'originale sistema Ammort per levigatori e hanno progettato una evoluta e innovativa levigatrice 220, di minimo consumo elettrico, capace di lavorare tutti i materiali, con resa molto superiore a tutte le tradizionali levigatrici conservandone i pregi universalmente riconosciuti.

Hanno inoltre notevolmente ampliato la gamma dei prodotti aggiungendo oltre al metodo originariamente esclusivo per levigatura e lucidatura pavimenti anche l'affermato sistema di levigatura e lucidatura per Marmisti.

Nonostante la Ditta sia ancora oggi a carattere familiare, intraprendenza, disponibilità e professionalità sono ancora dei punti di forza assieme ad un costante dinamismo e alla sensibilità verso le richieste dei clienti e del mercato stesso. Il nostro obiettivo è fornire articoli sempre all'avanguardia perchè: "...dalla tradizione nasce l'innovazione...".

AMMORT 2.0

innovation comes from tradition

Our company was found on 2010 from the Founder Bianconi Ferdinando. Due to his 40 years experience, he developed the "AMMORT" system which initially aimed only to floor layers to simplify the grinding and polishing processing procedures. It's only on 2015 that that the current owner Marco and Alessandro (only 29 and 32 years old) bought the Company and founded AM-MORT 2.0 with the aim to answer to the increasing demand for specialisation and improvement of the range of their products. Due to the excellent results obtained so far, "Ammort" system has improved considerably its range of products for floor layers and it also developed a full range of top quality products also for Stone workers. Despite AMMORT 2.0 company is still a Family company, availability and professionalism are our strengths together with a constant dynamism and sensitivity to customers and market requests. AMMORT 2.0 goal is to always provide innovative products as "Innovation comes from Tradition".

COME EFFETTUARE UN ORDINE

Inoltrare la richieste specificando articolo e quantità richiesta per:

- **E-MAIL:** ammortabrasivi@gmail.com
- **TELEFONO:** 0575 1784123 (dal lunedì al venerdì 09:00-13:00 / 14:30-18:00)
- **FAX:** 178 4412862 (24h)

PAGAMENTO:

- Bonifico Bancario alla conferma ordine
- Pagamento in contanti a mezzo contrassegno ove possibile e solamente per spedizioni in Italia e Comunità Europea

SPESE:

- Sono a carico dell'acquirente tutte le spese per trasporto, sdoganamento, contrassegno IVA ed eventuali altre imposte
- Il contrassegno potrà essere applicato solamente nel caso di spedizioni in porto franco+addebito spese in fattura (corriere convenzionato Ditta Ammort)

TRASPORTO:

- La merce potrà essere spedita in qualsiasi zona d'Italia, Paese CEE o EXTRA CEE salvo limitazioni.
- I tempi di consegna possono variare da zona a zona. Alla conferma ordine verrà fornita indicazione approssimativa dei tempi di consegna merce.
- Qualora non espressamente richiesto al momento dell'ordine, la Ditta Ammort si avvarrà del proprio corriere convenzionato addebitando in fattura il relativo importo per le spese di trasporto.
- La merce viaggerà a rischio e pericolo dell'acquirente anche se venduta in porto franco e ci riterremo sollevati nel caso di danneggiamenti, furti o smarrimenti.

HOW TO PLACE AN ORDER

Place orders specifying quantity and codes or description of items requested by:

- **E-MAIL:** ammortabrasivi@gmail.com
- **TELEPHONE:** (+39) 0575 1784123 (From Monday to Fryday 09:00-13:00 / 14:30-18;00)
- **FAX:** (+39) 178 4412862 (24h)

PAYMENT:

- Money Bank transfer at the confirmation of order
- When possible, Cash payment at the receipt of the goods (only for CEE Countries)

CHARGES:

- Shipping costs, custom clearance, payment by COD costs or any other taxes must be paid by the buyer
- Cash payment at the receipt of the goods will be accepted only if Ammort delivers with its courier (shipping costs added to the total amount of the invoice)

DELIVERY:

- Goods may be delivered also to any CEE or EXTRA CEE Country excluding shipping restriction
- Delivery times will be communicated a the the confirmation of order but they may vary due to problems not depending on Ammort.
- Purchaser courier must be provided when ordering, otherwise Ammort will deliver with its courier and will add any costs to the buyer.
- Ammort will not be responsible for any lost or stolen goods even if sent with Ammort courier

LEVIGATORI FLOOR LAYERS

Ammort CASSANI-C

Linea metalliche / metal polishing pads

P1/P1G CASSANI-C



- MARMO CHIARO/SCURO
- COMPOSTI E SIMILARI
- CEMENTO
- TRAVERTINO E PIETRA
- SOFT/LIGHT AND DARK MARBLE
- CONCRETE AND SIMILAR FLOORS
- NATURAL STONES

CODICE code	FORMA shape	GRANA grit	ATTACCO connection	COLORE color	LEVIGATRICE grinding-polishing machine
C1 C1-PL	CASSANI CASSANI SHAPE	P1	VELCRO/PLASTICA VELCRO/PLASTIC CONNECTION	VERDE GREEN	220 kw - scalini 220 Kw Steps polisher
C1G C1G-PL	CASSANI CASSANI SHAPE	P1G	VELCRO/PLASTICA VELCRO/PLASTIC CONNECTION	VERDE GREEN	220 kw - scalini 220 Kw Steps polisher

- P1 da utilizzare solamente dopo aver spianato la superficie da levigare
- Use P1 only after traditional abrasives or traditional metallic abrasives

P2/P2G CASSANI-C



- MARMO CHIARO/SCURO
- COMPOSTI E SIMILARI
- CEMENTO
- TRAVERTINO E PIETRA
- SOFT/LIGHT AND DARK MARBLE
- CONCRETE AND SIMILAR FLOORS
- NATURAL STONES

CODICE code	FORMA shape	GRANA grit	ATTACCO connection	COLORE color	LEVIGATRICE grinding-polishing machine
C2 C2-PL	CASSANI CASSANI SHAPE	P2	VELCRO/PLASTICA VELCRO/PLASTIC CONNECTION	BIANCO WHITE	220 kw - scalini 220 Kw Steps polisher
C2G C2G-PL	CASSANI CASSANI SHAPE	P2G	VELCRO/PLASTICA VELCRO/PLASTIC CONNECTION	BIANCO WHITE	220 kw - scalini 220 Kw Steps polisher

LEVIGATORI FLOOR LAYERS

Ammort CASSANI-C

Linea metalliche / metal polishing pads

P3G CASSANI-C



- MARMO CHIARO/SCURO
- COMPOSTI E SIMILARI
- CEMENTO
- TRAVERTINO E PIETRA
- SOFT/LIGHT AND DARK MARBLE
- CONCRETE AND SIMILAR FLOORS
- NATURAL STONES

CODICE code	FORMA shape	GRANA grit	ATTACCO connection	COLORE color	LEVIGATRICE grinding-polishing machine
C3 C3-PL	CASSANI CASSANI SHAPE	P3	VELCRO/PLASTICA VELCRO/PLASTIC CONNECTION	ROSSO RED	220 kw - scalini 220 Kw Steps polisher
C3G C3G-PL	CASSANI CASSANI SHAPE	P3G	VELCRO/PLASTICA VELCRO/PLASTIC CONNECTION	ROSSO RED	220 kw - scalini 220 Kw Steps polisher

P3N CASSANI-C

Linea fibra/diamante / sponge fibre polishing pads



- MARMO CHIARO/SCURO
- COMPOSTI E SIMILARI
- CEMENTO
- TRAVERTINO E PIETRA
- SOFT/LIGHT AND DARK MARBLE
- CONCRETE AND SIMILAR FLOORS
- NATURAL STONES

CODICE code	FORMA shape	GRANA grit	ATTACCO connection	COLORE color	LEVIGATRICE grinding-polishing machine
C3N C3N-PL	CASSANI CASSANI SHAPE	P3N	VELCRO/PLASTICA VELCRO/PLASTIC CONNECTION	ROSA PINK	220 kw - scalini 220 Kw Steps polisher

LEVIGATORI FLOOR LAYERS

Ammort CASSANI-C

Linea fibra/diamante / sponge fibre polishing pads

P4G CASSANI-C



- MARMO CHIARO/SCURO
- COMPOSTI E SIMILARI
- CEMENTO
- TRAVERTINO E PIETRA
- SOFT/LIGHT AND DARK MARBLE
- CONCRETE AND SIMILAR FLOORS
- NATURAL STONES

CODICE code	FORMA shape	GRANA grit	ATTACCO connection	COLORE color	LEVIGATRICE grinding-polishing machine
C4G C4G-PL	CASSANI CASSANI SHAPE	P4G	VELCRO/PLASTICA VELCRO/PLASTIC CONNECTION	VERDE GREEN	220 kw - scalini 220 Kw Steps polisher

P4N CASSANI-C



- MARMO CHIARO/SCURO
- COMPOSTI E SIMILARI
- CEMENTO
- TRAVERTINO E PIETRA
- SOFT/LIGHT AND DARK MARBLE
- CONCRETE AND SIMILAR FLOORS
- NATURAL STONES


CODICE code	FORMA shape	GRANA grit	ATTACCO connection	COLORE color	LEVIGATRICE grinding-polishing machine
C4N C4N-PL	CASSANI CASSANI SHAPE	P4N	VELCRO/PLASTICA VELCRO/PLASTIC CONNECTION	CELESTE LIGHT BLUE	220 kw - scalini 220 Kw Steps polisher

LEVIGATORI FLOOR LAYERS

Ammort CASSANI-C

Linea fibra/diamante / sponge fibre polishing pads


P5G CASSANI-C



- MARMO CHIARO/SCURO
- COMPOSTI E SIMILARI
- CEMENTO
- TRAVERTINO E PIETRA
- SOFT/LIGHT AND DARK MARBLE
- CONCRETE AND SIMILAR FLOORS
- NATURAL STONES

CODICE code	FORMA shape	GRANA grit	ATTACCO connection	COLORE color	LEVIGATRICE grinding-polishing machine
C5G C5G-PL	CASSANI CASSANI SHAPE	P5G	VELCRO/PLASTICA VELCRO/PLASTIC CONNECTION	VERDE CHIARO LIGHT GREEN	220 kw - scalini 220 Kw Steps polisher

P5N CASSANI-C



- MARMO CHIARO/SCURO
- COMPOSTI E SIMILARI
- CEMENTO
- TRAVERTINO E PIETRA
- SOFT/LIGHT AND DARK MARBLE
- CONCRETE AND SIMILAR FLOORS
- NATURAL STONES

CODICE code	FORMA shape	GRANA grit	ATTACCO connection	COLORE color	LEVIGATRICE grinding-polishing machine
C5N C5N-PL	CASSANI CASSANI SHAPE	P5N	VELCRO/PLASTICA VELCRO/PLASTIC CONNECTION	BLU BLUE	220 kw - scalini 220 Kw Steps polisher

LEVIGATORI FLOOR LAYERS

Ammort CASSANI-A

Linea metalliche / metal polishing pads

P1/P1G CASSANI-A



- MARMO CHIARO/SCURO
- COMPOSTI E SIMILARI
- CEMENTO
- TRAVERTINO E PIETRA
- VENEZIANA
- SOFT/LIGHT AND DARK MARBLE
- CONCRETE AND SIMILAR FLOORS
- NATURAL STONES
- VENEZIANA FLOORS

CODICE code	FORMA shape	GRANA grit	ATTACCO connection	COLORE color	LEVIGATRICE grinding-polishing machine
A1	CASSANI ALLARGATO CASSANI BIG SIZE	P1	VELCRO VELCRO DISC	VERDE GREEN	220 kw 380 kw
A1G	CASSANI ALLARGATO CASSANI BIG SIZE	P1G	VELCRO VELCRO DISC	VERDE GREEN	220 kw 380 kw

P1 da utilizzare solamente dopo aver spianato la superficie da levigare.
Use P1 only after traditional abrasives or traditional metallic abrasives.

P2/P2G CASSANI-C



- MARMO CHIARO/SCURO
- COMPOSTI E SIMILARI
- CEMENTO
- TRAVERTINO E PIETRA
- VENEZIANA
- SOFT/LIGHT AND DARK MARBLE
- CONCRETE AND SIMILAR FLOORS
- NATURAL STONES
- VENEZIANA FLOORS

CODICE code	FORMA shape	GRANA grit	ATTACCO connection	COLORE color	LEVIGATRICE grinding-polishing machine
A2	CASSANI ALLARGATO CASSANI BIG SIZE	P2	VELCRO VELCRO DISC	BIANCO WHITE	220 kw 380 kw
A2G	CASSANI ALLARGATO CASSANI BIG SIZE	P2G	VELCRO VELCRO DISC	BIANCO WHITE	220 kw 380 kw

LEVIGATORI FLOOR LAYERS

Ammort CASSANI-A

Linea metalliche / metal polishing pads

P3/P3G CASSANI-A



- MARMO CHIARO/SCURO
- COMPOSTI E SIMILARI
- CEMENTO
- VENEZIANA
- SOFT/LIGHT AND DARK MARBLE
- CONCRETE AND SIMILAR FLOORS
- VENEZIANA FLOORS

CODICE code	FORMA shape	GRANA grit	ATTACCO connection	COLORE color	LEVIGATRICE grinding-polishing machine
A3	CASSANI ALLARGATA CASSANI BIG SIZE	P3	VELCRO VELCRO DISC	ROSSO RED	220 kw - 380 kw
A3G	CASSANI ALLARGATA CASSANI BIG SIZE	P3G	VELCRO VELCRO DISC	ROSSO RED	220 kw - 380 kw

P3N CASSANI-A

Linea fibra/diamante / sponge fibre polishing pads



- MARMO CHIARO/SCURO
- COMPOSTI E SIMILARI
- CEMENTO
- TRAVERTINO E PIETRA
- VENEZIANA
- SOFT/LIGHT AND DARK MARBLE
- CONCRETE AND SIMILAR FLOORS
- NATURAL STONES
- VENEZIANA FLOORS

CODICE code	FORMA shape	GRANA grit	ATTACCO connection	COLORE color	LEVIGATRICE grinding-polishing machine
A3N	CASSANI ALLARGATA CASSANI BIG SIZE	P3N	VELCRO VELCRO DISC	ROSA PINK	220 kw - 380 kw

LEVIGATORI FLOOR LAYERS

Ammort CASSANI-A

Linea fibra/diamante / sponge fibre polishing pads

P4G CASSANI-A



- MARMO CHIARO/SCURO
- COMPOSTI E SIMILARI
- CEMENTO
- TRAVERTINO E PIETRA
- VENEZIANA
- SOFT/LIGHT AND DARK MARBLE
- CONCRETE AND SIMILAR FLOORS
- NATURAL STONES
- VENEZIANA FLOORS

CODICE code	FORMA shape	GRANA grit	ATTACCO connection	COLORE color	LEVIGATRICE grinding-polishing machine
A4G	CASSANI ALLARGATA CASSANI BIG SIZE	P4G	VELCRO VELCRO DISC	VERDE GREEN	220 kw - 380 kw

P4N CASSANI-A



- MARMO CHIARO/SCURO
- COMPOSTI E SIMILARI
- CEMENTO
- TRAVERTINO E PIETRA
- VENEZIANA
- SOFT/LIGHT AND DARK MARBLE
- CONCRETE AND SIMILAR FLOORS
- NATURAL STONES
- VENEZIANA FLOORS


CODICE code	FORMA shape	GRANA grit	ATTACCO connection	COLORE color	LEVIGATRICE grinding-polishing machine
A4N	CASSANI ALLARGATA CASSANI BIG SIZE	P4N	VELCRO VELCRO DISC	CELESTE LIGHT BLUE	220 kw - 380 kw

LEVIGATORI FLOOR LAYERS

Ammort CASSANI-A

Linea fibra/diamante / sponge fibre polishing pads


P5G CASSANI-A



- MARMO CHIARO/SCURO
- COMPOSTI E SIMILARI
- CEMENTO
- TRAVERTINO E PIETRA
- VENEZIANA
- SOFT/LIGHT AND DARK MARBLE
- CONCRETE AND SIMILAR FLOORS
- NATURAL STONES
- VENEZIANA FLOORS

CODICE code	FORMA shape	GRANA grit	ATTACCO connection	COLORE color	LEVIGATRICE grinding-polishing machine
A5G	CASSANI ALLARGATA CASSANI BIG SIZE	P5G	VELCRO VELCRO DISC	VERDE CHIARO LIGHT GREEN	220 kw - 380 kw

P5N CASSANI-A



- MARMO CHIARO/SCURO
- COMPOSTI E SIMILARI
- CEMENTO
- TRAVERTINO E PIETRA
- VENEZIANA
- SOFT/LIGHT AND DARK MARBLE
- CONCRETE AND SIMILAR FLOORS
- NATURAL STONES
- VENEZIANA FLOORS

CODICE code	FORMA shape	GRANA grit	ATTACCO connection	COLORE color	LEVIGATRICE grinding-polishing machine
A5N	CASSANI ALLARGATA CASSANI BIG SIZE	P5N	VELCRO VELCRO DISC	BLU BLUE	220 kw - 380 kw

BASI FORMA CASSANI CONNECTION CASSANI SHAPE



CODICE code	FORMA shape	GRANA grit	ATTACCO connection	COLORE color	LEVIGATRICE grinding-polishing machine
CAS-MET	CASSANI CASSANI SHAPE	/	VELCRO / VELCRO DISC	/	220 kw
CAS-MET-A	CASSANI ALLARGATA CASSANI BIG SIZE	/	VELCRO / VELCRO DISC	/	220 - 380 kw
CAS-MET-PL	CASSANI CASSANI SHAPE	/	FORATE PER 4 PIOLI 4 PINS CONNECTION	/	220 kw
MUNCHEN	CASSANI ALLARGATA CASSANI BIG SIZE	/	VELCRO / VELCRO DISC	/	220 - 380 kw



CODICE code	FORMA shape	GRANA grit	ATTACCO connection	COLORE color	LEVIGATRICE grinding-polishing machine
R3	CASSANI CASSANI SHAPE	/	4 PIOLI 4 PINS CONNECTION	/	220 kw
R2	CASSANI ALLARGATA CASSANI BIG SIZE	/	VELCRO MASCHIO WITH VELCRO	/	220 - 380 kw
R1	CASSANI CASSANI SHAPE	/	VELCRO MASCHIO WITH VELCRO	/	220 kw

Attacco plastica attualmente disponibile solamente per abrasivi forma CASSANI-C.
Ammort abrasives with plastic connection actually available only for CASSANI-C shape.

LEVIGATORI MARMISTI

FLOOR LAYERS / STONE WORKERS

Linea metalliche / metal polishing pads

P1/P1G Ø 200 / 150 / 140 / 125 / 100 mm



- MARMO CHIARO/SCURO
- COMPOSTI E SIMILARI
- CEMENTO
- TRAVERTINO E PIETRA
- SOFT/LIGHT AND DARK MARBLE
- CONCRETE AND SIMILAR FLOORS
- NATURAL STONES

CODICE code	Ø	ATTACCO connection	COLORE color
P1G-200	200 mm	VELCRO/VELCRO DISC	VERDE / GREEN
P1-150 / P1G-150 P1-150/CH / P1G-150/CH	150 mm	VELCRO/VELCRO DISC CHIOCCIOLA/SNAIL CONN	VERDE / GREEN
P1G-140	140 mm	VELCRO/VELCRO DISC	VERDE / GREEN
P1-125 / P1G-125 P1-125/CH / P1G-125/CH	125 mm	VELCRO/VELCRO DISC CHIOCCIOLA/SNAIL CONN	VERDE / GREEN
P1-100 / P1G-100 P1-100/CH / P1G100/CH	100 mm	VELCRO/VELCRO DISC CHIOCCIOLA/SNAIL CONN	VERDE / GREEN

Levigatori: P1 da utilizzare solo dopo aver spianato la superficie da levigare.
Floor layers: use P1 only after traditional abrasives or traditional metallic abrasives.

P2/P2G Ø 200 / 150 / 140 / 125 / 100 mm



- MARMO CHIARO/SCURO
- COMPOSTI E SIMILARI
- CEMENTO
- TRAVERTINO E PIETRA
- SOFT/LIGHT AND DARK MARBLE
- CONCRETE AND SIMILAR FLOORS
- NATURAL STONES

CODICE code	Ø	ATTACCO connection	COLORE color
P2G-200	200 mm	VELCRO/VELCRO DISC	BIANCO / WHITE
P2-150 / P2G-150 P2-150/CH / P2G-150/CH	150 mm	VELCRO/VELCRO DISC CHIOCCIOLA/SNAIL CONN	BIANCO / WHITE
P2G-140	140mm	VELCRO/VELCRO DISC	BIANCO / WHITE
P2-125 / P2G-125 P2-125/CH / P2G-125/CH	125 mm	VELCRO/VELCRO DISC CHIOCCIOLA/SNAIL CONN	BIANCO / WHITE
P2-100 / P2G-100 P2-100/CH / P2G-100/CH	100 mm	VELCRO/VELCRO DISC CHIOCCIOLA/SNAIL CONN	BIANCO / WHITE

LEVIGATORI MARMISTI

FLOOR LAYERS / STONE WORKERS

Linea metalliche / metal polishing pads

P3/P3G Ø 200 / 150 / 140 / 125 / 100 mm



- MARMO CHIARO/SCURO
- COMPOSTI E SIMILARI
- CEMENTO
- TRAVERTINO E PIETRA
- SOFT/LIGHT AND DARK MARBLE
- CONCRETE AND SIMILAR FLOORS
- NATURAL STONES

CODICE code	Ø	ATTACCO connection	COLORE color
P3G-200	200 mm	VELCRO/VELCRO DISC	ROSSO / RED
P3-150 / P3G-150 P3-150/CH / P3G-150/CH	150 mm	VELCRO/VELCRO DISC CHIOCCIOLA/SNAIL CONN	ROSSO / RED
P3G-140	140 mm	VELCRO/VELCRO DISC	ROSSO / RED
P3-125 / P3G-125 P3-125/CH / P3G-125/CH	125 mm	VELCRO/VELCRO DISC CHIOCCIOLA/SNAIL CONN	ROSSO / RED
P3-100 / P3G-100 P3-100/CH / P3G-100/CH	100 mm	VELCRO/VELCRO DISC CHIOCCIOLA/SNAIL CONN	ROSSO / RED

P3N Ø 125 / 100 mm

Linea fibra/diamante / sponge fibre polishing pads



- MARMO CHIARO/SCURO
- COMPOSTI E SIMILARI
- CEMENTO
- TRAVERTINO E PIETRA
- SOFT/LIGHT AND DARK MARBLE
- CONCRETE AND SIMILAR FLOORS
- NATURAL STONES

CODICE code	Ø	GRANA grit	ATTACCO connection	COLORE color
P3N-125 P3N-125/CH	125 mm	P3N	VELCRO-VELCRO DISC CHIOCCIOLA-SNAIL CONN	ROSSO/RED
P3N-100 P3N-125/CH	100 mm	P3N	VELCRO-VELCRO DISC CHIOCCIOLA-SNAIL CONN	VERDE/GREEN

LEVIGATORI MARMISTI

FLOOR LAYERS / STONE WORKERS

Linea fibra/diamante / sponge fibre polishing pads

P4G Ø 140 / 125 / 100 mm



- MARMO CHIARO/SCURO
- COMPOSTI E SIMILARI
- CEMENTO
- TRAVERTINO E PIETRA
- SOFT/LIGHT AND DARK MARBLE
- CONCRETE AND SIMILAR FLOORS
- NATURAL STONES

CODICE code	Ø	GRANA grit	ATTACCO connection	COLORE color
P4G-140	140 mm	P4G	VELCRO VELCRO DISC	VERDE/GREEN
P4G-125 P4G-125/CH	125 mm	P4G	VELCRO-VELCRO DISC CHIOCCIOLA-SNAIL CONN	VERDE/GREEN
P4G-100 P4G-100/CH	100 mm	P4G	VELCRO-VELCRO DISC CHIOCCIOLA-SNAIL CONN	VERDE/GREEN

P4N Ø 200 / 150 / 140 / 125 / 100 mm



- MARMO CHIARO/SCURO
- COMPOSTI E SIMILARI
- CEMENTO
- TRAVERTINO E PIETRA
- SOFT/LIGHT AND DARK MARBLE
- CONCRETE AND SIMILAR FLOORS
- NATURAL STONES

CODICE code	Ø	GRANA grit	ATTACCO connection	COLORE color
P4N-200	200 mm	P4N	VELCRO VELCRO DISC	CELESTE LIGHT BLUE
P4N-150 P4N-150/CH	150 mm	P4N	VELCRO-VELCRO DISC CHIOCCIOLA-SNAIL CONN	CELESTE LIGHT BLUE
P4N-140	140 mm	P4N	VELCRO-VELCRO DISC	CELESTE LIGHT BLUE
P4N-125 P4N-125/CH	125 mm	P4N	VELCRO-VELCRO DISC CHIOCCIOLA-SNAIL CONN	CELESTE LIGHT BLUE
P4N-100 P4N-100/CH	100 mm	P4N	VELCRO-VELCRO DISC CHIOCCIOLA-SNAIL CONN	CELESTE LIGHT BLUE

LEVIGATORI MARMISTI

FLOOR LAYERS / STONE WORKERS
Linea fibra/diamante / sponge fibre polishing pads

P5G Ø 200 / 150 / 140 / 125 / 100 mm



- MARMO CHIARO/SCURO
- COMPOSTI E SIMILARI
- CEMENTO
- TRAVERTINO E PIETRA
- SOFT/LIGHT AND DARK MARBLE
- CONCRETE AND SIMILAR FLOORS
- NATURAL STONES

CODICE code	Ø	GRANA grit	ATTACCO connection	COLORE color
P5G-200	200 mm	P5G	VELCRO-VELCRO DISC	VERDE CHIARO LIGHT GREEN
P5G-150 P5G-150/CH	150 mm	P5G	VELCRO-VELCRO DISC CHIOCCIOLA-SNAIL CONN	VERDE CHIARO LIGHT GREEN
P5G-140	140 mm	P5G	VELCRO-VELCRO DISC	VERDE CHIARO LIGHT GREEN
P5G-125 P5G-125/CH	125 mm	P5G	VELCRO-VELCRO DISC CHIOCCIOLA-SNAIL CONN	VERDE CHIARO LIGHT GREEN
P5G-100 P5G-100/CH	100 mm	P5G	VELCRO-VELCRO DISC CHIOCCIOLA-SNAIL CONN	VERDE CHIARO LIGHT GREEN

P5N Ø 150 / 140 / 125 / 100 mm



- MARMO CHIARO/SCURO
- COMPOSTI E SIMILARI
- CEMENTO
- TRAVERTINO E PIETRA
- SOFT/LIGHT AND DARK MARBLE
- CONCRETE AND SIMILAR FLOORS
- NATURAL STONES

CODICE code	Ø	GRANA grit	ATTACCO connection	COLORE color
P5N-200	200 mm	P5N	VELCRO-VELCRO DISC	BLU / BLUE
P5N-150 P5N-150/CH	150 mm	P5N	VELCRO-VELCRO DISC CHIOCCIOLA-SNAIL CONN	BLU / BLUE
P5N-140	140 mm	P5N	VELCRO-VELCRO DISC	BLU / BLUE
P5N-125 P5N-125/CH	125 mm	P5N	VELCRO-VELCRO DISC CHIOCCIOLA-SNAIL CONN	BLU / BLUE
P5N-100 P5N-100/CH	100 mm	P5N	VELCRO-VELCRO DISC CHIOCCIOLA-SNAIL CONN	BLU / BLUE

LEVIGATORI MARMISTI

FLOOR LAYERS / STONE WORKERS

ACCESSORI LINEA Ø 150 /125 /100 mm

Accessories for ø 150 mm / 125 mm / 100 mm polishing pads




CODICE code	Ø	ATTACCO connection	DESCRIZIONE description
CH-150	150 mm	VELCRO MASCHIO WITH VELCRO	attacco chiocciola 150 mm in plastica snail plastic connection 150 mm with velcro
CH-125	125 mm	VELCRO MASCHIO WITH VELCRO	attacco chiocciola 125 mm in plastica snail plastic connection 125 mm with velcro
CH-100	100 mm	VELCRO MASCHIO WITH VELCRO	attacco chiocciola 100 mm in plastica snail plastic connection 100 mm with velcro



CODICE code	Ø	ATTACCO connection	DESCRIZIONE description
CH-125 FOAM	125 mm	VELCRO MASCHIO WITH VELCRO	attacco chiocciola 125mm+gomma h 7mm+velcro maschio snail plastic connection 125 mm + 7mm foam + velcro
CH-100 FOAM	100 mm	VELCRO MASCHIO WITH VELCRO	attacco chiocciola 100mm+gomma h 7mm+velcro maschio snail plastic connection 100 mm + 7mm foam + velcro



CODICE code	Ø	ATTACCO connection	DESCRIZIONE description
R5	100 mm	CHIOCCIOLA SNAIL CONNECTION	supporto 100mm A/chiocciola alluminio + gomma 100 mm snail local back pad alluminium + rubber
R6	125 mm	CHIOCCIOLA SNAIL CONNECTION	supporto 125mm A/chiocciola alluminio + gomma 125 mm snail local back pad alluminium + rubber



CODICE code	Ø	ATTACCO connection	DESCRIZIONE description
R7	100 mm	CHIOCCIOLA SNAIL CONNECTION	supporto 100mm A/chiocciola tutto alluminio 100 mm snail local back pad alluminium
R8	125 mm	CHIOCCIOLA SNAIL CONNECTION	supporto 125mm A/chiocciola tutto alluminio 125 mm snail local back pad alluminium

LEVIGATORI MARMISTI

FLOOR LAYERS

SUPER AMMORT - Ø 100 / 125 mm

Linea fibra/diamante / sponge fibre polishing pads



- GRANITI
- GRANITE

CODICE code	Ø	ATTACCO connection	COLORE color
P1S-100	100 mm	VELCRO-VELCRO DISC	NERO / BLACK
P2S-100	100 mm	VELCRO-VELCRO DISC	GIALLO YELLOW
P2/3S-100	100 mm	VELCRO-VELCRO DISC	ARANCIO ORANGE
P3S-100	100 mm	VELCRO-VELCRO DISC	VERDE / GREEN
P4S-100	100 mm	VELCRO-VELCRO DISC	BIANCO / WHITE
P5S-100	100 mm	VELCRO-VELCRO DISC	ROSSO / RED
P6S-100	100 mm	VELCRO-VELCRO DISC	CELESTE LIGHT BLUE
P1S-125	125 mm	VELCRO-VELCRO DISC	NERO / BLACK
P2S-125	125 mm	VELCRO-VELCRO DISC	GIALLO YELLOW
P2/3S-125	125 mm	VELCRO-VELCRO DISC	ARANCIO ORANGE
P3S-125	125 mm	VELCRO-VELCRO DISC	VERDE / GREEN
P4S-125	125 mm	VELCRO-VELCRO DISC	ROSSO / RED
P5S-125	125 mm	VELCRO-VELCRO DISC	CELESTE LIGHT BLUE
P6S-125	125 mm	VELCRO-VELCRO DISC	CELESTE LIGHT BLUE

LEVIGATORI FLOOR LAYERS

LEVIGATRICE PER PAVIMENTI

Levigatrice per pavimenti specifica per marmo, terrazzo, cemento e simili.
Adatta anche per granito e pietre dure solo con utilizzo di speciali abrasivi diamantati.

GRINDING-POLISHING MACHINE

for marble, terrazzo, concrete and similar floors.
Suitable for granite and hard stones as well, using special diamond abrasives.



POTENZA: 3 kw

TENSIONE ALIMENTAZIONE: 230 V Monofase

Ø PIATTO PORTA ABRASIVI: 300 mm

GIRI PIATTO PORTA ABRASIVI: I - 150 r.p.m.

II - 182 r.p.m.

III - 218 r.p.m.

IV - 250 r.p.m.

CAPACITÀ SERBATOIO ACQUA: 26 lt.

Ø RUOTE: 300 mm

PESO NETTO: 110 kg

PESO CON ACQUA: 136 kg

MISURE DI INGOMBRO: 1060x500x925 mm

- Struttura robusta e compatta;
- Motore trifase azionato da inverter di frequenza, per un miglior rendimento
- Selettore a quattro differenti velocità per ottimizzare la lavorazione del pavimento;
- Disponibili con piatto porta abrasivi tipo Cassani, Frankfurt o "Virgola";
- Regolazione del piano della macchina per mezzo di asse ruote eccentrico;
- Ruota pivotante per agevolare la movimentazione della macchina.

ACCESSORI IN DOTAZIONE

PIATTO PORTA ABRASIVI Ø 300 mm

MOLLA AMMORTIZZATRICE (tipo esterno)

MOLLA AMMORTIZZATRICE (tipo interno)

ANELLO PARASCHIZZI

SPATOLA GOMMATA

CHIAVI DI SERVIZIO

ADATTATORE PER PIATTO

ACCESSORI OPZIONALI

PIATTO PORTA ABRASIVI

Ø 430 mm (tipo monospazzola)

PLANETARIO

ZAVORRA APPESANTIMENTO

LEVIGATRICE PER PAVIMENTI

Levigatrice per pavimenti specifica per marmo, terrazzo, cemento e simili.
Adatta anche per granito e pietre dure solo con utilizzo di speciali abrasivi diamantati.

GRINDING-POLISHING MACHINE

for marble, terazzo, concrete and similar floors.
Suitable for granite and hard stones as well, using special diamond abrasives.



VOLTAGE: 230V single phase

POWER: 3 kW

Ø ABRASIVE HOLDING PLATE: 300 mm

ABRASIVE HOLDING PLATE R.P.M.:

I – 150 r.p.m.

II – 182 r.p.m.

III – 218 r.p.m.

IV – 250 r.p.m.

WATER TANK CAPACITY: 26 l

Ø WHEELS: 300 mm

NET WEIGHT: 110 Kg

WEIGHT WITH WATER: 136 Kg

DIMENSIONS: 1060x500x925 mm

ACCESSORI PROVIDED

ABRASIVE HOLDING PLATE Ø 300 mm

SHOCK ABSORBING SPRING (internal type)

SHOCK ABSORBING SPRING (external type)

PLASTIC SPLASH GUARD RING

SQUEEGEE

SERVICE WRENCHES

PLATE MOUNTING ADAPTER

- Sturdy and compact structure;
- Three-phase motor driven by frequency inverter for better performance;
- With four speeds to optimize floor machining;
- Available with Prismatic, Frankfurt or Comma type abrasive holding plates;
- Machine level adjustment by eccentric wheel axis;
- Pivoting wheel for easy handling of the machine.

OPTIONAL ACCESSORIES

ABRASIVE HOLDING PLATE

Ø 430 mm (monobrush type)


PLANETARY HEAD

WEIGHTING BALLAST

SERIE MANETTONE / RADIAL ARM POLISHER

Linea metalliche / metal polishing pads


P1 / P1G Ø 250 mm



- MARMO CHIARO/SCURO
- MATERIALI SINTETICI
- TRAVERTINO E PIETRA
- SOFT/LIGHT AND DARK MARBLE
- ENGINEERED STONES
- NATURAL STONES

CODICE code	Ø	GRANA grit	ATTACCO connection	COLORE color
P1-M	250 mm	P1	VELCRO-VELCRO DISC	VERDE / GREEN
P1G-M	250 mm	P1G	VELCRO-VELCRO DISC	VERDE / GREEN

P2 / P2G Ø 250 mm



- MARMO CHIARO/SCURO
- MATERIALI SINTETICI
- TRAVERTINO E PIETRA
- SOFT/LIGHT AND DARK MARBLE
- ENGINEERED STONES
- NATURAL STONES

CODICE code	Ø	GRANA grit	ATTACCO connection	COLORE color
P2-M	250 mm	P2	VELCRO-VELCRO DISC	BIANCO / WHITE
P2G-M	250 mm	P2G	VELCRO-VELCRO DISC	BIANCO / WHITE

SERIE MANETTONE / RADIAL ARM POLISHER

Linea metalliche / metal polishing pads

P3 / P3G Ø 250 mm



- MARMO CHIARO/SCURO
- MATERIALI SINTETICI
- TRAVERTINO E PIETRA
- SOFT/LIGHT AND DARK MARBLE
- ENGINEERED STONES
- NATURAL STONES

CODICE code	Ø	GRANA grit	ATTACCO connection	COLORE color
P3-M	250 mm	P3	VELCRO-VELCRO DISC	ROSSO / RED
P3G-M	250 mm	P3G	VELCRO-VELCRO DISC	ROSSO / RED

P3N Ø 250 mm

Linea fibra diamante / sponge fibre polishing pads



- MARMO CHIARO/SCURO
- MATERIALI SINTETICI
- TRAVERTINO E PIETRA
- SOFT/LIGHT AND DARK MARBLE
- ENGINEERED STONES
- NATURAL STONES

CODICE code	Ø	GRANA grit	ATTACCO connection	COLORE color
P3N-M	250 mm	P3N	VELCRO-VELCRO DISC	ROSA / PINK

SERIE MANETTONE / RADIAL ARM POLISHER

Linea fibra/diamante / sponge fibre polishing pads

P4G Ø 250 mm



- MARMO CHIARO/SCURO
- MATERIALI SINTETICI
- TRAVERTINO E PIETRA
- SOFT/LIGHT AND DARK MARBLE
- ENGINEERED STONES
- NATURAL STONES

CODICE code	Ø	GRANA grit	ATTACCO connection	COLORE color
P4G-M	250 mm	P4G	VELCRO-VELCRO DISC	VERDE / GREEN

P4N Ø 250 mm



- MARMO CHIARO/SCURO
- MATERIALI SINTETICI
- TRAVERTINO E PIETRA
- SOFT/LIGHT AND DARK MARBLE
- ENGINEERED STONES
- NATURAL STONES

CODICE code	Ø	GRANA grit	ATTACCO connection	COLORE color
P4N-M	250 mm	P4N	VELCRO-VELCRO DISC	CELESTE LIGHT BLUE

MANETTONE / RADIAL ARM POLISHER

Linea fibra diamante / sponge fibra polishing pads


P5G Ø 250 mm



- MARMO CHIARO/SCURO
- MATERIALI SINTETICI
- TRAVERTINO E PIETRA
- SOFT/LIGHT AND DARK MARBLE
- ENGINEERED STONES
- NATURAL STONES

CODICE code	Ø	GRANA grit	ATTACCO connection	COLORE color
P5G-M	250 mm	P5G	VELCRO-VELCRO DISC	VERDE CHIARO LIGHT GREEN

P5N Ø 250 mm



- MARMO CHIARO/SCURO
- MATERIALI SINTETICI
- TRAVERTINO E PIETRA
- SOFT/LIGHT AND DARK MARBLE
- ENGINEERED STONES
- NATURAL STONES

CODICE code	Ø	GRANA grit	ATTACCO connection	COLORE color
P5N-M	250 mm	P5N	VELCRO-VELCRO DISC	BLU / BLUE

Ammort SERIE MANETTONE / RADIAL ARM POLISHER

ACCESSORI LINEA 250 mm ACCESSORIES FOR Ø 250 mm polishing pads



CODICE code	GRANA grit	ATTACCO connection
1865	250 mm	Adattatore alluminio + 2 magneti 20x35 mm Alluminium adapter + 2 magnets 20x35 mm
FOREX.NEW	250 mm	Supporto forex SP 2mm + fori passanti + kit di conv. per adattatore alluminio + velcro maschio Forex plateau SP 2 mm + alluminium adapter connection with velcro

LEVIGATORI MARMISTI

PAVIMENTI, MANETTONE & LEVIGACOSTE
Floor layers, radial arm polisher & flat edge polishing
Linea metalliche / metal abrasive pads

METAL FRANKFURT



- MARMO CHIARO/SCURO
- MATERIALI SINTETICI
- TRAVERTINO E PIETRA
- SOFT/LIGHT AND DARK MARBLE
- ENGINEERED STONES
- NATURAL STONES

CODICE code	GRANA grit	ATTACCO connection
P1-F	P1	Basetta Frankfurt plastica Plastic connection Frankfurt shaped
P1G-F	P1G	Basetta Frankfurt plastica Plastic connection Frankfurt shaped
P2-F	P2	Basetta Frankfurt plastica Plastic connection Frankfurt shaped
P2G-F	P2G	Basetta Frankfurt plastica Plastic connection Frankfurt shaped
P3-F	P3	Basetta Frankfurt plastica Plastic connection Frankfurt shaped
P3G-F	P3G	Basetta Frankfurt plastica Plastic connection Frankfurt shaped

P3N FRANKFURT

Linea fibra/diamante / sponge fibre polishing pads



- MARMO CHIARO/SCURO
- MATERIALI SINTETICI
- TRAVERTINO E PIETRA
- SOFT/LIGHT AND DARK MARBLE
- ENGINEERED STONES
- NATURAL STONES

CODICE code	GRANA grit	ATTACCO connection
P3N-F	P3N	Basetta Frankfurt plastica Plastic connection Frankfurt shaped

LEVIGATORI MARMISTI

PAVIMENTI, MANETTONE & LEVIGACOSTE
Floor layers, radial arm polisher & flat edge polishing
Linea fibra/diamante / sponge fibre polishing pads

P4G FRANKFURT



- MARMO CHIARO/SCURO
- MATERIALI SINTETICI
- TRAVERTINO E PIETRA
- SOFT/LIGHT AND DARK MARBLE
- ENGINEERED STONES
- NATURAL STONES

CODICE code	GRANA grit	ATTACCO connection
P4G-F	P4G	Basetta Frankfurt plastica Plastic connection Frankfurt shaped

P4N FRANKFURT



- MARMO CHIARO/SCURO
- MATERIALI SINTETICI
- TRAVERTINO E PIETRA
- SOFT/LIGHT AND DARK MARBLE
- ENGINEERED STONES
- NATURAL STONES

CODICE code	GRANA grit	ATTACCO connection
P4N-F	P4N	Basetta Frankfurt plastica Plastic connection Frankfurt shaped

LEVIGATORI MARMISTI

PAVIMENTI, MANETTONE & LEVIGACOSTE
Floor layers, radial arm polisher & flat edge polishing
Linea fibra/diamante / sponge fibre polishing pads

P5G FRANKFURT



- MARMO CHIARO/SCURO
- MATERIALI SINTETICI
- TRAVERTINO E PIETRA
- SOFT/LIGHT AND DARK MARBLE
- ENGINEERED STONES
- NATURAL STONES

CODICE code	GRANA grit	ATTACCO connection
P5G-F	P5G	Basetta Frankfurt plastica Plastic connection Frankfurt shaped

P5N FRANKFURT



- MARMO CHIARO/SCURO
- MATERIALI SINTETICI
- TRAVERTINO E PIETRA
- SOFT/LIGHT AND DARK MARBLE
- ENGINEERED STONES
- NATURAL STONES

CODICE code	GRANA grit	ATTACCO connection
P5N-F	P5N	Basetta Frankfurt plastica Plastic connection Frankfurt shaped

CONDIZIONI GENERALI DI VENDITA:

GENERALE

Le vendite vengono effettuate alle condizioni generali della Ammort che non potranno essere modificate che dalla Ammort medesima con esplicito atto scritto.

INFORMAZIONI SUL PRODOTTO

Tutte le descrizioni e illustrazioni riportate sul presente catalogo, o in altra documentazione commerciale Ammort hanno il solo scopo di fornire al cliente un'idea generale dei prodotti e non costituiranno parte del contratto tra Ammort e il cliente. Le informazioni contenute nel presente catalogo e le indicazioni sommarie eventualmente fornite dalla Ditta Ammort al Compratore sono da intendersi derivate da esperienze personali e test della Ammort e non potranno essere in alcun modo impugnate per resi o contestazioni sulle forniture. La Ditta Ammort si riserva in qualsiasi momento senza preavviso e senza dover addurre giustificazioni a tali decisioni il diritto di applicare, interamente o in parte, modifiche costruttive alle specifiche dei suoi prodotti.

CONSEGNE

Le consegne verranno effettuate nel più breve tempo possibile successivamente al ricevimento del pagamento o della conferma ordine. Il termine di consegna eventualmente riportato nei preventivi e nelle conferme ordine è solamente indicativo e non tassativo, esso pertanto non costituisce condizione essenziale del contratto. Detto termine s'intende adeguatamente prorogato di diritto per effetto di avvenimenti indipendenti dalla volontà della Ammort, comunque in nessun caso il Committente potrà vantare danni o altro dipendenti da ritardata consegna. La merce parte non assicurata salvo disposizioni particolari che verranno concordate ed addebitate al Compratore.

PREZZI E CONDIZIONI DI FORNITURA

I prezzi riportati s'intendono in EURO, IVA ESCLUSA, TRASPORTO ESCLUSO. Se non diversamente pattuito, il termine di pagamento è inteso "contrassegno". Le eventuali spese per emissione di tratte saranno a carico del Committente. In caso di mancato/ritardato pagamento, la Ammort si riserva il diritto di addebitare spese ed interessi moratori e di sospendere ogni altra fornitura. La Ammort si riserva il diritto di aumentare il proprio listino vendita o modificare le condizioni di pagamento del Compratore senza alcun obbligo di preavviso.

RISCHI

La merce viaggia a rischio e pericolo del Committente anche se venduta in porto Franco senza alcuna nostra responsabilità per eventuali ritardi nel trasporto, rotture o manomissioni degli imballaggi.

RESI

Non si accettano reclami o resi trascorsi 8 gg dal ricevimento della merce, in nessun caso nel caso di materiali alterati nella forma o nella sostanza e non verrà comunque accettata merce di ritorno in porto franco e senza il benestare della Ditta Ammort. Resta inteso la Ammort eventualmente s'impegnerà a sostituire i materiali senza ulteriore addebito escludendo però il risarcimento di ogni altro o maggior danno. Il reclamo non esonera il Committente dall'obbligo di ritirare altra merce regolarmente ordinata né di ridurre o sospendere il pagamento che si è obbligato a fare all'ordine.

FORO COMPETENTE

Per qualsiasi Controversia è competente il Foro di Arezzo né tale competenza potrà essere derogata per ragione alcuna. Con il solo atto dell'ordinazione si intendono accettate dal Committente tutte le condizioni sopra riportate.

GENERAL CONDITIONS OF SALES

GENERAL

These General Conditions of Sale will be applied to all orders accepted by Ammort and govern all sales of goods specified in this catalogue. Conditions differing from those contained herein will be effective only subject to Ammort written acceptance.

PRODUCTS

Just use all descriptions, photos and information in this catalogue as a general introducing of Ammort products. They could not be in any case reason for return or complaints. Ammort could in any moment partially or even completely change his products without a previous notification to Customers and without giving any reason.

PRICES, SHIPPING EXPENSES AND PAYMENT CONDITIONS

Prices do not include VAT or any other taxes, shipping costs and customs duties or other charges that may be due to the products in the Country of the Purchaser. For all foreign Customers the only available payment is advanced money transfer or by cash on delivery. Ammort also reserves the right to change in any times the terms of payment of the Purchaser. For payment from abroad, expenses for the transfer of funds from foreign bank to the Italian bank will be sustained entirely by the Purchaser.

DELIVERY TERMS AND PROCEDURES

After confirmation of order and payment, Ammort will always make all effort to make a prompt delivery. Delivery Terms eventually written in the acknowledgement will be in any case considered indicative and not-binding on Ammort. The goods are sold ex Ammort works. Under no circumstances Ammort will be liable for delayed or failed delivery due to a shortage of products or in the event of delayed delivery due to circumstances beyond reasonable control of Ammort such as (and not limited to) force majeure, strikes and including any delay by the product manufacturing subcontractors or other. The goods are shipped without insurance barring special provisions which will be agreed and charged to the Purchaser. When available, Purchaser Couriers must be provided when ordering, otherwise Ammort will deliver with its courier and will add any costs to the Purchaser.

RISKS

All risk relating to the products will be transferred from Ammort to the Purchaser at the place and time of delivery. In no case Ammort will be responsible for any stolen or damaged goods even if sent with his courier.

RETURNS

Any returns will be accepted only within 8 days after the receipt of the goods, only if previously authorised by Ammort and only if sent carriage free. Ammort will eventually replace the material at no charge excluding in any case the compensation of any other or additional damages. The complaint does not relieve the Customer from the obligation to withdraw other regularly ordered goods or to reduce or suspend payments.

JURISDICTION-COMPETENT LAW

All contractual or extra-contractual disputes will be referred exclusively to the Italian Judicial Authorities, Court of Arezzo. This contract will be interpreted and governed according to Italian law.

When ordering, the Purchaser will accept all of the above listed conditions of sales.

AMMORT 2.0 s.n.c. Via Chiana, 9/B - 52047 Marciano della Chiana (Ar)
Tel. (+39) 0575 1784123 - Fax (+39) 178 4412862 - ammortabrasivi@gmail.com

Via Chiana, 9/B - 52047
Marciano della Chiana (Ar) - Italy
Tel. +39 0575 1784123
Fax +39 178 4412862
ammortabrasivi@gmail.com
www.ammortabrasivi.it

AMMORT 2.0
CATALOGO

Rivenditore / Responsabile